



OEM Quality
LED Lights
for All Makes of
Trucks and Trailers



LED LIGHTING CATALOG

STOP, TURN, & TAIL LAMPS • CLEARANCE & MARKER LAMPS
ELECTRICAL CONNECTORS • MOUNTING ACCESSORIES





OEM-Quality Products for Critical Components

The LED Advantage

- Light emitting diodes produce light without the use of a filament, making them a brighter, more durable, energy-efficient alternative to incandescent lighting

More Durable

- 100,000 hour life equals a decade of normal use
- Virtually impervious to shock and vibration
- Completely sealed for protection from the elements
- Internal components are encapsulated in epoxy for resistance to moisture and corrosion
- All IN·LINE® exterior lamps utilize UV-resistant polycarbonate lenses

More Visible

- Brightness increases vehicle conspicuity
- Instantaneous illumination means more reaction time for trailing vehicles

DOT Approved

- Complies with FMVSS 108/CMVSS 108

Energy Efficient

- Up to 85% less power consumption means more power for other vehicle applications

Warranty


IN·LINE® LED lamps are covered by a 10-year, unlimited miles replacement parts warranty to the original purchaser. The warranty does not apply to certain severe applications or chemical agents.

Other limitations and exceptions may apply. See your authorized dealer for details.



Stop, Turn, & Tail Lamps

Luces de Paro, de Dirección y Traseras ● Feux d'arrêt, de signalisation et arrière



III Stop, Turn, & Tail Lamps

- Hardwired, with standard 3-pin connector
- Draws approximately 435 milliamps at 12.8 volts
- Round lamps use with bezel GMX0102 or GMX0106; oval lamps use with bezel GMX0104 or GMX0107

III Luces de Paro, de Dirección y Traseras

- Cableado, con conector de 3 clavijas
- Consume aproximadamente 435 miliamperes a 12.8 voltios
- Las lámparas redondas utilizan el bisel GMX0102
- GMX0106; las lámparas ovaladas utilizan el bisel GMX0104 o GMX0107

III Feux d'arrêt, de signalisation et arrière

- Câblé, avec connecteur standard à 3 broches
- Tire approximativement 435 milliamps à 12.8 volts
- Les feux ronds utilisent la lunette d'encadrement GMX0102 ou GMX0106, les feux ovales utilisent la lunette d'encadrement GMX0104 ou GMX0107

Part No.	Description
4" Round 12 LED	
PL7403R	Red, STT, grommet mount
4" Round 44 LED	
PL7400R	Red, STT, grommet mount
PL7400RC	Red, STT, grommet mount, clear lens
PL7401R	Red, STT, flange mount
PL7401RC	Red, STT, flange mount, clear lens
PL7400A	Amber, turn, grommet mount
PL7400AC	Amber, turn, grommet mount, clear lens
PL7401A	Amber, turn, flange mount
PL7401AC	Amber, turn, flange mount, clear lens
4" Round 48 LED	
PL7440A	Amber, park/turn, grommet mount

Part No.	Description
4" Round 60 LED	
PL7402R	Red, STT, grommet mount
3" x 5" Rectangular, 52 LED	
PL7450R	Red, STT, grommet mount
PL7450A	Amber, turn, grommet mount
6" Oval 60 LED	
PL7600R	Red, STT, grommet mount
PL7600RC	Red, STT, grommet mount, clear lens
PL7601R	Red, STT, flange mount
PL7601RC	Red, STT, flange mount, clear lens
PL7600A	Amber, turn, grommet mount
PL7600AC	Amber, turn, grommet mount, clear lens
PL7601A	Amber, turn, flange mount
PL7601AC	Amber, turn, flange mount, clear lens

OEM-Quality Products for Critical Components



45 LED Turn Signal Lamps & 36 LED Back Up Lights

Luces de Dirección 45 LED y Luces de Marcha Atrás ●
Feux de signalisation 45 LED & feux de recul 36 LED

45 LED Turn Signal Lamps — Pedestal Mount

- Hardwired, with six inch pigtail
- Side marker included

Luces de Dirección 45 LED - Montaje de Pedestal

- Cableado, con cable flexible de seis pulgadas
- Reflector lateral incluido

Feux de signalisation 45 LED - montés sur socle

- Câblé, avec spirale de raccord de six pouces
- Feux de position inclus



Part No.	Description
4" Round, Single Sided	
PL7000R	Red
PL7000A	Amber
4" Round, Double Sided	
PL7000AR	Red/Amber

Part No.	Description
4" Square, Double Sided	
PL7000RAL	Red/Amber, left
PL7000CRAL	Red/Amber, left, clear lens
PL7000RAR	Red/Amber, right
PL7000CRAR	Red/Amber, right, clear lens

36 LED Back Up Lights

- Hardwired with four inch pigtail
- Low current use
- Standard 3-pin connector
- Use with bezel GMX0102 or GMX0106

Luces de Marcha Atrás 36 LED

- Cableado flexible de cuatro pulgadas
- Bajo consumo de corriente
- Conector estándar de 3 clavijas
- Utiliza el bisel GMX0102 o GMX0106

Feux de recul 36 LED

- Câblé avec spirale de raccord de quatre pouces
- Nécessite peu de courant
- Connecteur standard à 3 broches
- Utiliser avec la lunette d'encadrement GMX0102 ou GMX0106



PL7940GC

Part No.	Description
4" Round	
PL7940GC	White, back up, clear lens

Clearance & Marker Lamps

Luces de Altura y Luces de Posición ● Feux de position

III Clearance & Marker Lamps


- Uses standard 2-pin connection
- 2" use with bezel GMX1615 or GMX1616;
2½" use with bezel GMX0101 or GMX0105

III Luces de Altura y Luces de Posición



- Utiliza conexión estándar de 2 clavijas
- Las de 2" utilizan el bisel GMX1615 o GMX1616; las de 2½" utilizan el bisel GMX0102 o GMX0106

III Feux de position

- Utilisent un branchement standard à 2 broches
- 2", à utiliser avec la lunette d'encadrement GMX1615 ou GMX1616 ; 2½", à utiliser avec la lunette d'encadrement GMX0101 ou GMX0105



Part No.	Description
2" Round 5 LED	
PL7301R	Red, side marker
PL7301A	Amber, side marker
2" Round 9 LED	
PL7300R	Red, clearance marker
PL7300RC	Red, clearance marker, clear lens
PL7300A	Amber, clearance marker
PL7300AC	Amber, clearance marker, clear lens
2" Round Beehive 9 LED	
PL7302R	Red, clearance marker
PL7302RC	Red, clearance marker, clear lens
PL7302A	Amber, clearance marker
PL7302AC	Amber, clearance marker, clear lens
2½" Round 7 LED	
PL7101R	Red, side marker
PL7101A	Amber, side marker
2½" Round 8 LED	
PL7101RR	Red, side marker, reflex lens
PL7101AR	Amber, side marker, reflex lens
2½" Round 13 LED	
PL7100R	Red, marker
PL7100RC	Red, marker, clear lens
PL7100A	Amber, marker
PL7100AC	Amber, marker, clear lens
2½" Round Beehive 13 LED	
PL7102R	Red, marker
PL7102RC	Red, marker, clear lens
PL7102A	Amber, marker
PL7102AC	Amber, marker, clear lens




Clearance & Marker Lamps

Luces de Altura y Luces de Posición ● Feux de position

4 LED Oblong Clearance & Marker Lamps

- Popular oblong design
- Uses standard 2-pin connection
- Includes chrome bezel



Luces de Altura y de Posición Oblongas 4 LED

- Popular diseño alargado
- Utiliza conexión estándar de 2 clavijas
- Incluye bisel cromado


Feux de position oblongs à 4 LEDs

- Design oblong populaire
- Utilisent un branchement standard à 2 broches
- Comportent une lunette d'encadrement chromée

Part No.	Description
PL7140R	Red, clearance marker
PL7140RC	Red, clearance marker, clear lens
PL7140A	Amber, clearance marker
PL7140AC	Amber, clearance marker, clear lens
PL7141R	Red, clearance marker, reflex lens
PL7141RC	Red, clearance marker, clear reflex lens
PL7141A	Amber, clearance marker, reflex lens
PL7141AC	Amber, clearance marker, clear reflex lens

2 LED Oval Clearance & Marker Lamps

- Uses standard 2-pin connection
- Includes chrome bezel



Luces de Altura y de Posición Ovaladas 2 LED

- Utiliza conexión estándar de 2 clavijas
- Incluye bisel cromado

Feux de position ovales à 2 LEDs

- Utilisent un branchement standard à 2 broches
- Comportent une lunette d'encadrement chromée

Part No.	Description
PL7160R	Red, clearance marker
PL7160RC	Red, clearance marker, clear lens
PL7160A	Amber, clearance marker
PL7160AC	Amber, clearance marker, clear lens


Rectangular Clearance & Marker Lamps

- 12 LED replaces Truck-Lite Model 19;
- 8 LED replaces Truck-Lite Model 15
- Uses standard 2-pin connection



Luces de Altura y de Posición Rectangulares

- 12 LED reemplaza al Modelo 19 de Truck-Lite;
- 8 LED reemplaza al Modelo 15 de Truck-Lite
- Utiliza conexión estándar de 2 clavijas



Feux de position rectangulaires

- Le modèle à 12 LEDs remplace le Truck-Lite 19 ;
- le modèle à 8 LEDs remplace le Truck-Lite 15
- Utilisent un branchement standard à 2 broches



Part No.	Description	Part No.	Description
12 LED		8 LED	
PL7190R	Red, clearance marker	PL7150R	Red, clearance marker
PL7190RC	Red, clearance marker, clear lens	PL7150RC	Red, clearance marker, clear lens
PL7190A	Amber, clearance marker	PL7150A	Amber, clearance marker
PL7190AC	Amber, clearance marker, clear lens	PL7150AC	Amber, clearance marker, clear lens

Clearance & Marker Lamps

Luces de Altura y Luces de Posición ● Feux de position

16 LED Double Bull's-Eye Clearance & Marker Lamps

- Uses standard 2-pin connection
- Use with bezel GMX8973

Luces de Altura de Doble Ojo de Buey 16 LED y Luces de Posición


- Utiliza conexión estándar de 2 clavijas
- Utiliza el bisel GMX8973

Feux de position type bull's eye doubles à 16 LEDs

- Utilisent un branchement standard à 2 broches
- À utiliser avec la lunette d'encadrement GMX8973



PL7120A



Part No.	Description
PL7120R	Red, clearance marker
PL7120RC	Red, clearance marker, clear lens
PL7120A	Amber, clearance marker
PL7120AC	Amber, clearance marker, clear lens

Clearance & Marker Lamps

- Uses standard 2-pin connection
- Includes bezel

Luces de Altura y de Posición


- Utiliza conexión estándar de 2 clavijas
- Incluye bisel

Feux de position


- Utilisent un branchement standard à 2 broches
- Comportent la lunette d'encadrement



PL7130RC



PL7131R



Part No.	Description
2 LED	
PL7131R	Red, clearance marker
PL7131A	Amber, clearance marker
12 LED Peterbilt Style	
PL7130R	Red, clearance marker
PL7130RC	Red, clearance marker, clear lens
PL7130A	Amber, clearance marker
PL7130AC	Amber, clearance marker, clear lens

Clearance & Marker Lamps

Luces de Altura y Luces de Posición ● Feux de position

Clearance & Marker Lamps






- Surface mount, no grommet required
- Hardwired, with six inch pigtail
- Interior or exterior application
- Use with bezel PL6011BEZEL for PL6911 series

Luces de Altura y Luces de Posición

- Montaje en superficie que no requiere arandela de caucho
- Cable flexible de seis pulgadas
- Aplicación interior o exterior
- La serie PL6911 utiliza el bisel PL6011BEZEL

Feux de position

- Assemblés en surface, aucune bague requise
- Câblé, avec spirale de raccord de six pouces
- Pour application interne ou externe
- À utiliser avec lunette d'encadrement PL6011 pour série PL6911



Part No.	Description
1" x 2½" 2 LED	
PL6911R	Red, marker
PL6911A	Amber, marker
¾" x 4" 7 LED	
PL735R	Red, marker, thin line
PL735A	Amber, marker, thin line
PL7303R	Red, marker, arrow
PL7303A	Amber, marker, arrow

Part No.	Description
2" x 5.875" 10 LED Super 21	
PL721R	Red, marker
PL721A	Amber, marker
2" x 4" 14 LED	
PL7260R	Red, combination side marker, P2
PL7260A	Amber, combination side marker, P2

Side-Turn Signal & Marker Lamps

Luces de Dirección Laterales y Luces de Posición ●
Feux de signalisation latéraux et de position

10 LED Side-Turn Signal & Marker Lamp

- Uses standard 3-pin connection

Luz de Dirección Lateral 10 LED y Luz de Posición

- Utiliza conexión estándar de 3 clavijas

Feux de signalisation latéraux et de position à 10 LEDs

- Utilisent un branchement standard à 3 broches




Part No.	Description
PL7170A	Amber, 6.5" x 2.25", turn, marker

Bus Marker Lamps

- SAE/DOT P2/PC combination light in horizontal and vertical orientation
- Hardwired, with four inch pigtail
- Rooftop surface mount, no grommet required

Luces de Posición de Autobús

- Luz combinada SAE/DOT P2/PC en posición horizontal o vertical
- Cable flexible de cuatro pulgadas
- Montaje en superficie de techo, no requiere arandela de caucho



Part No.	Description
2.75" X 3.5" Triangle 15 LED	
PL7121R	Red, marker, bus/cab
PL7121A	Amber, marker, bus/cab
7" Round 31 LED	
PL7911RR	Red, school bus, reflex lens
PL7911AR	Amber, school bus, reflex lens

Feux de position de type autobus

- Ampoule combinée SAE/DOT P2/PC à orientation horizontale et verticale
- Câblé, avec spirale de raccord de quatre pouces
- Assemblé en surface sur le toit, aucune bague requise

Interior & Courtesy Lamps


- Hardwired, color coded pigtail
- Conformal coated circuit board for exterior applications
- Surface mount, no grommet required

Luz Interior y Luz de Entrada

- Cableado flexible identificado por colores
- Tablero de circuitos de color concordante para aplicaciones exteriores
- Montaje en superficie que no requiere arandela de caucho

Lampes intérieures et d'accueil

- Câblée, spirale de raccord à codes couleurs
- Carte de circuits à recouvrement enrobé pour applications externes
- Assemblée en surface, aucune bague requise



Part No.	Description	Part No.	Description	Part No.	Description
Interior Lamps:		Courtesy Lamps:		1" x 1" 3 LED — Includes Chrome Bracket	
1.625" x 2.75" Single LED		3.25" x 1.75" 2 LED — With Bezel			
PL690R	Red	PL6913R	Red, clear lens	PL6912R	Red, clear lens
PL690A	Amber	PL6913A	Amber, clear lens	PL6912A	Amber, clear lens
PL690B	Blue	PL6913B	Blue, clear lens	PL6912B	Blue, clear lens
PL690G	Green	PL6913C	White, clear lens	PL6912C	White, clear lens
PL690W	White	PL6913G	Green, clear lens	PL6912P	Purple, clear lens

OEM-Quality Products for Critical Components



Connectors & Accessories

Conectores y Accesorios • Connecteurs et accessoires

Multi-Light Harnesses & Connectors

- Harnesses offer fast and trouble-free light installation
- No need to splice every light — harness saves time and labor

Arneses y Conectores para Múltiples Luces

- Los arneses facilitan la instalación de las luces en forma rápida y sencilla
- No es necesario hacer una conexión de empalme para cada luz -el arnés ahorra tiempo y trabajo


Faisceaux de fils à plusieurs lumières et connecteurs

- Les faisceaux offrent une installation de lumière rapide et sans problème
- Aucun besoin de jonction pour chaque lumière - le faisceau fait économiser temps et main-d'œuvre

Mounting Accessories

Accesorios de Montaje

Accessoires de montage



Part No.	Description
GMX0100	2-pin harnesses, 6" spacing, 100 ft., 200 std. light plugs
GMX1827	2-pin harness, 12" spacing, 100 ft., 100 std. light plugs
GMX0300	3-pin harness, 12" spacing, 100 ft., 100 std. light plugs
GMX0299	Y-splitter, air cleaner light bar harness
PL7990	2-pin pigtail, right angle, 6" lead (for clearance & marker lights)
PL7995	3-pin pigtail, right angle, 10" lead (for stop, turn, and tail lights)

Part No.	Description	Part No.	Description
PL7905	4.08" x 1.08", chrome base (for PL7190 series)	GMX0104	6" oval, bezel (for PL7600 & PL7601 series)
PL7910	2.5" x 1.2", chrome base (for PL7150 series)	GMX0107	6" oval, bezel, with visor (for PL7600 & PL7601 series)
PL7915	2" & 2½", chrome light housing case	GMX0101	2½" round, bezel (for PL7100 & PL7102 series)
PL7920	2", black vinyl grommet	GMX0105	2½" round, bezel, with visor (for PL7100 & PL7102 series)
PL7925	2½", black vinyl grommet	GMX1615	2" round, bezel (for PL7300 & PL7302 series)
PL7940	4", black vinyl grommet	GMX1616	2" round, bezel, with visor (for PL7300 & PL7302 series)
PL7960	6", black vinyl grommet	GMX8973	Bezel, with visor for double bull's-eye (PL7120 series)
PL845700	3" x 5", black rubber grommet, rectangular	PL6011BEZEL	Bezel, chrome plate (for PL6911 series)
GMX4304	3" x 2", bezel, chrome (for PL7160 series)		
GMX4307	6½" x 2.24", bezel, chrome (for PL7140 & PL7141 series)		
GMX0102	4" round, bezel (for PL7400 & PL7401 series)		
GMX0106	4" round, bezel, w/visor (for PL7400 & PL7401 series)		

Keep your truck in top shape with our full line of OEM-quality parts

From compressors to clutches, bumpers to belts, hoses to shocks, we have exactly what you need to keep your operation running smoothly. Just visit your nearest PACCAR Parts dealer and choose from our full line of innovative, high-quality parts.



Stay tough with IN·LINE® quality parts for critical components

- Transmissions & Axles • Air Dryer Cartridges • Charge Air Coolers
- Wheel-Attaching Hardware • Electrical Components • LED Lighting



Choose quality ACRAFIT® products for leading models

- Mufflers • Pipes • Clamps • Windshields



CLIMATECH® HVAC parts for all makes

- Heat Exchangers • Blower Motors • A/C Compressors
- Filters • Valves and Switches • Ventilation Fans



Extend maintenance life with premium products from DYNACRAFT®

- Drive Belts • Battery Cables • Truck Hose
- Fittings & Adapters • Hardware



MIRREX® image-enhancing accessories at competitive prices

- Chrome Accessories • Mirrors • Chrome Bumpers
- Stainless Steel Light Panels



Get outstanding value with PACELINE® heavy-duty components

- Clutches • Bearings • Driveline • Seals • Transmissions & Axles



Trust ROADLEVELER® for high-performance ride control and steering products

- Shock Absorbers • Height Control Valves
- King Pin Kits • Tie Rod Ends



PARTS YOU CAN RELY ON



IN·LINE is a registered trademark of PACCAR Parts. ©2006 PACCAR Inc.
All rights reserved. Printed in U.S.A. 1NLED06CAT

DISTRIBUTED EXCLUSIVELY by **PACCARPARTS**

